

KUGELGELENKKOPF EDELSTAHL · INNENGEWINDE



- M4 ... M36×2 · 12 GRÖSSEN
- KÖRPER 1.4301 · INNENRING 1.4021
- LAGERUNG 1.4301 / PTFE



AUSFÜHRUNGEN

Gewinde A	D (mm)	B (mm)	D2 (mm)	H (mm)
M4	5	8	18	27
M6	6	9	20	30
M8	8	12	24	36
M10×1,25	10	14	28	43
M10	10	14	28	43
M12×1,25	12	16	32	50
M12	12	16	32	50
M16×1,5	16	21	42	64
M16	16	21	42	64
M20×1,5	20	25	50	77
M27×2	30	37	70	110
M36×2	35	43*	80	125

* abweichend von Norm. Vollständige Maßtafel unter ABMESSUNGEN.



BESCHREIBUNG UND TECHNISCHE DATEN

BESCHREIBUNG

- Kugelgelenkkopf mit Innengewinde
- Körper 1.4301
- Lagerung 1.4301 / PTFE
- Innenring 1.4021
- 12 Größen, M4 bis M36x2




A
M4 ...
M36x2

TECHNISCHE DATEN

Bauform	Kugelgelenkkopf, Innengewinde
Werkstoff Körper	1.4301
Lagerung	1.4301 / PTFE
Innenring	1.4021
Anschluss	Innengewinde A, z. B. für Kolbenstangengewinde
Gewinde	M4, M6, M8, M10, M12, M16 · Feingewinde M10x1,25, M12x1,25, M16x1,5, M20x1,5, M27x2, M36x2
Bohrung D	5 ... 35 mm



ABMESSUNGEN (mm)



Gewinde A	B	C	D	D2	L	H
M4	8	6,0	5	18	10	27
M6	9	6,75	6	20	12	30
M8	12	9,0	8	24	16	36
M10×1,25	14	10,5	10	28	20	43
M10	14	10,5	10	28	20	43
M12×1,25	16	12,0	12	32	22	50
M12	16	12,0	12	32	22	50
M16×1,5	21	15,0	16	42	28	64
M16	21	15,0	16	42	28	64
M20×1,5	25	18,0	20	50	33	77
M27×2	37	25,0	30	70	51	110
M36×2	43*	28,0	35	80	56	125

* abweichend von Norm. Zeichnung schematisch, gilt für alle Größen.

