

PRICE COMPUTING RETAIL SCALE



- CAPACITY 6 · 15 · 30 KG
- MULTIRANGE · OIML R76
- SWIVEL DISPLAY COLUMN
- BATTERY · 70 H OPERATING TIME



RS232



Display



Stainless Steel

CAPACITY

kg	Division e (g)	Net weight (kg)
3 / 6	1 / 2	4.5
6 / 15	2 / 5	4.5
15 / 30	5 / 10	4.5

Multirange scales, class III, 3000 divisions. Manufacturer type: BILPA.



TECHNICAL DATA

WEIGHING

Capacity (multirange)	3/6 · 6/15 · 15/30 kg
Linearity	< 0.01 % full scale
Display resolution	3000
Unit of measure	kg

DESIGN

Loading plate	Stainless steel, 225 × 295 mm
Display	backlit LCD on both sides, 3 × 6-digit, 20 mm height
Display column	swivel, height 535 mm
Keyboard	20 keys, waterproof
Levelling	Bubble level and adjustable feet
Net weight	4.5 kg

MAIN FUNCTIONS

Display	Simultaneous display of weight, unit price and amount
Item memory	100 storable items (PLU) with unit price
Price unit	€/kg · €/100 g
Cancellation	Automatic cancellation of price and tare
Totalization	Totalization of partial amounts
Change	Automatic change calculation
Receipt printing	Optional non-fiscal receipt via the external thermal printer: customizable header, date, time, net weight, unit price, amount per item, total amount

INTERFACE

Serial port	RS232, for external printer
Baud rate	2400, 4800, 9600, 19200 bit/s

POWER SUPPLY


Power supply	100 ... 240 VAC
Internal battery	6 V, 4 Ah capacity
Operating time	70 h
Battery charger	external, 100 ... 240 VAC, included
Power-off	automatic

ENVIRONMENT

Humidity	< 85 %, condensate free
Storage temperature	-10 ... +50 °C
Working temperature	-10 ... +40 °C



DIMENSIONS (mm)



COMPLIANCE AND CERTIFICATION

Calibration	Calibration report on request	
Compliance	CE	
Certifications		OIML R76:2006, class III, 3000 divisions
		Equivalent of the CE marking for the United Kingdom
Certifications (on request)		Conformity assessment (initial verification)



OPTIONS ON REQUEST

STAINLESS STEEL DEEP TRAY

- Stainless steel deep tray; dimensions: 230 x 300 x 40 mm.



ON REQUEST

RECHARGEABLE BATTERY

- Rechargeable battery 6 V, 4.5 Ah capacity.



ON REQUEST

THERMAL PRINTER

- Desktop thermal printer.



ON REQUEST

