

BENCH COUNTING SCALE



- CAPACITY 6 · 15 · 30 KG
- 6-DIGIT LCD · 30 MM DIGITS
- RS232 · UNITS KG, LB
- BATTERY · 70 H OPERATING TIME



CAPACITY

kg	Division, e (g)	Net weight (kg)
6	0.2	2.8
15	0.5	2.8
30	1	2.8

Manufacturer type: LWLF.



TECHNICAL DATA

WEIGHING

Capacity	6 · 15 · 30 kg
Linearity	< 0.01 % full scale
Display resolution	30 000
Units of measure	kg, lb

DESIGN

Loading plate	Stainless steel, 225 × 325 mm
Display	6-digit backlit LCD, 30 mm height
Keyboard	8 keys, waterproof
Levelling	Bubble level and adjustable feet
Net weight	2.8 kg

MAIN FUNCTIONS

Weighing	Weight indication, also as a percentage
Counting	Piece counting
Output	RS232 output for connection to PC
Checking	Weight checking (HIGH / LOW) with acoustic alarm

INTERFACE

Serial port	RS232, for PC
Baud rate	1200, 2400, 4800, 9600 bit/s

POWER SUPPLY


Power supply	230 VAC ± 10 %
Internal battery	4 V, 4 Ah capacity
Operating time	70 h
Battery charger	external, 230 VAC, included

ENVIRONMENT

Humidity	< 85 %, condensate free
Storage temperature	-10 ... +50 °C
Working temperature	0 ... +40 °C



DIMENSIONS (mm)



COMPLIANCE AND CERTIFICATION

Calibration	Calibration report on request	
Compliance	CE	
Certifications		Equivalent of the CE marking for the United Kingdom

